



NEW Group Yard






INSIDE OUT GALVANIZATION


Calf-Tel's Inside/out, Hot-dip galvanization is a superior method for protecting steel from corrosion and ensuring its longevity both inside and outside the tubing.

This process involves immersing steel components in a bath of molten zinc, creating a metallurgical bond that results in a robust and impenetrable protective coating.




Exceptional corrosion resistance, outperforming other coating methods such as painting or electroplating:

Other Zinc Coatings: Thickness & Density



The overall performance of hot-dip galvanization, showcased in these graphs, solidifies its status as the most effective and sustainable steel protection method available today.




Superior durability and longevity withstands harsh environmental conditions. Additionally, its low maintenance requirements and extended service life contribute to cost savings over time.



Environmentally friendly, as it uses a 100% recyclable material (zinc) and requires minimal maintenance or reapplication of coatings, minimizing the carbon footprint.



All Calf-Tel products must stand up to the rigors of farm abuse. Strength and durability are the price of entry.



- Our new **Group Yard** was constructed utilizing a pioneering method of fabrication we call "**ThruTube**."
- Our **ThruTube** method leverages the combined strength of two tubes, as one complete system—maximizing material strength with a mechanical, cantilevered connection of tubes COMBINED with a weld for even more strength. The result is unparalleled compressive rigidity that will stand up to the rigors of every day farm use and abuse.
- Most fencing products connect tubes by welding one tube directly onto the outer surface of another tube. This method can result in cracking and breaking at the weld-source.

SAMPLE CONFIGURATIONS

The 8|16 Fence System allows easy access to herd by simply removing corner L-rod.

Holds 4-7 calves



Hampel's Plastic Trough

- 16 gallon capacity
- Virtually indestructible
- Easier to clean than steel

OUTSIDE L x W x H	489 x 273 x 109 cm 192" x 107.6" x 43"
WEIGHT	69kg 152 lbs
SPECIFICATION	Zinc coated hot dip galvanized steel



ThruTube Extender links allow you to add panels while reinforcing strength at the intersection



Optional 3rd trough can be applied to the side of the fence

The 12|16 Fence System comes with an additional front gate system that allows access to herd without removing L-rods.



Holds up to 8 calves


OUTSIDE L x W x H	489 x 361 x 109 cm 192" x 142.6" x 43"
WEIGHT	89kg 197 lbs
SPECIFICATION	Zinc coated hot dip galvanized steel

Our **NEW Calf-Tel Group Yard** is a heavy-duty, durable fencing solution that provides extra space for calves and an infinitely modular set-up experience for the producer.

- X Inside-out** hot-dip galvanization process provides pervasive protection against rust resulting in superior longevity.
- X** Constructed and assembled utilizing our **ThruTube** fabrication process creating a stronger connection than standard welded steel
- X** Infinitely Modular
 - customizable for any herd size
- X** Two heavy duty plastic troughs can fit along the front, and one additional can be applied to the side.



Optional V-shaped front to help train for headlocks



ThruTube fabrication creating a stronger connection than standard welded steel



Universal hutch connector piece



ThruTube Extender links allow you to add panels while reinforcing strength at the intersection

INFINITELY MODULAR

